

A Safety Data Sheet is not legally required for this product under the OSHA Hazard Communication Standard (29 CFR 1910.1200). The following information is provided as a courtesy service to our customers.

SECTION 1: IDENTIFICATION

Product identifier

Trade name: Polypropylene Foam Products, Natural, including Microfoam®,

Microfoam® ORCA™, Microfoam® XFS, Microguard™, MicroTuff®, CouchPouch™, including laminated polypropylene/polyethylene laminate products formulated without special purpose additives.

Synonym(s): None known Preparation/Revision date: 6 March 2015

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Protective packaging

Uses advised against: None known

Details of the supplier of the safety data sheet

Manufacturer / Supplier

Company name: Pregis Innovative Packaging, Inc. Address: 1650 Lake Cook Road, Suite 400

Deerfield, IL 60015

Customer service: 877-692-6163

Emergency telephone number For product and additional safety information:

e-Mail: gallen@pregis.com

24-Hour Emergency Contact: Chemtrec: (800) 424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture Not regulated per OSHA Hazard Communication Standard 29 CFR

1910.1200.

Page 1 of 11



Section 2: HAZARDS IDENTIFICATION (CONT'D)

This product conforms to the U.S. OSHA Hazard Communication Standard's definition of an "Article," i.e., "...a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.

Label elements

Contains: None
Hazard pictogram: None
Signal word: None
Hazard statement: None

Precautionary statements:

- Prevention: None
- Response: None
- Storage: None
- Disposal: None
Supplemental label information: None

Other hazards None

Hazard summary

Physical hazards: Not classified for physical hazards. Health hazards: Not classified for health hazards.

Environmental hazards: Not classified for hazards to the environment.

Main symptoms: Inhalation of fumes from heated plastic may cause irritation of respiratory tract,

chest discomfort, and/or dizziness. In rare cases, contact with sensitive individuals'

skin may result in irritation or reddening of skin.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

This product conforms to the U.S. OSHA Hazard Communication Standard's definition of an "Article," i.e., "...a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical , and does not pose a physical hazard or health risk to employees." The following information is provided as a courtesy.

Preparation Date: 6 March 2015 Page 2 of 11



SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS (CONT'D)

Chemical Name	Percent	CAS No.	Notes
Polyolefin polymer(s)	87 - 94%	Proprietary	
Refrigerant (hfc134a,hfc 134)	2 – 4%	811-97-2	
		359-35-3	
Methylene Chloride	0.1 - 0.5%	75-09-2	

Composition comments: Product formulations may contain residual foaming gases

SECTION 4: FIRST AID MEASURES

General Information Show this Safety Data Sheet to the medical professional in attendance.

Adverse health effects are not anticipated with use of this product as intended. If symptoms occur, follow first aid measures as appropriate.

Description of first aid measures

Inhalation: If respiratory irritation occurs, remove affected personnel to fresh air. Obtain

medical attention if irritation persists or is severe.

Skin contact: Wash contaminated skin with mild soap and water. Individuals experiencing

skin sensitivity should obtain medical advice.

Eye contact: Flush eye with water for 15 minutes. Get medical attention if irritation

persists.

Ingestion: Not considered a likely route of entry. Swallowing small quantities will not

cause harm.

Notes to Physician: None specified

Most important symptoms

and effects, both acute and delayed

Inhalation of fumes from heated plastic may cause irritation of respiratory

tract, chest discomfort, and/or dizziness. In rare cases, contact with sensitive individuals' skin may result in irritation or reddening of skin.

Indication of any immediate medical attention and special

treatment needed

None known



SECTION 5: FIRE FIGHTING MEASURES

General fire hazards Polypropylene and Polyethylene are combustible. Processes such as

grinding could produce fine dust and could be a potential explosion hazard. Can burn in fire, releasing toxic vapors, gases, and fumes.

Extinguishing Media

Suitable extinguishing media: Water, Foam, Dry Chemical, Carbon Dioxide. Use extinguishing media

appropriate for surrounding material.

Unsuitable extinguishing media: None known.

Special hazards arising from the

substance or mixture

Temperatures above 480°F could cause product degradation potentially

producing toxic vapors.

Advice for firefighters

Special protective equipment for firefighters: Wear full bunker gear including a positive pressure self-contained

breathing apparatus. Personnel / bystanders should be kept upwind of

fire.

Special firefighting procedures:

Not applicable.

Special remarks on fire hazards:

None.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Protective clothing is not required under normal conditions of intended use, however, the use of gloves and safety glasses is consistent with good

manufacturing and hygienic practice.

Methods and materials for containing

and cleaning up

No special measures necessary beyond good general housekeeping. Pick

up and retain material for recycling or disposal.



SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Precautions for Handling: Suffocation hazard exists if material covers face. Keep away from

children.

Conditions for safe storage, including any incompatibilities

Avoid contact with strong oxidizers. Keep away from extreme heat.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

United States. Occupational Exposure Limits

Not established for product as a whole.

Appropriate engineering controls

Local ventilation should be provided if product is further processed

producing dust or fumes. General ventilation may also be used, but

local ventilation is usually preferable.

Individual Protective Measures

General Information: The following general hygiene considerations are recognized as common,

good industrial hygiene practices. Wash hands after use and before

eating, avoid breathing dust, and wear safety glasses.

Eye/face protection: Not normally required, but may be recommended if product is

further processed.

Skin protection: Not normally required. Wearing gloves is consistent with good industrial

safety / hygiene practice.

Respiratory protection: Not normally required. If product is being further processed producing

dust or fumes, local ventilation should be provided. Respiratory

protection is normally only to be used as a temporary measure until

proper ventilation can be installed.

Thermal hazards: None known.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	Solid, plastic foam	Explosive properties	Not applicable
Color	Various colors	Explosive limit	Not applicable
Odor	Odorless	Vapor pressure	Not applicable
Odor threshold	Not applicable	Vapor density	Not applicable
рН	Not applicable	Evaporation rate	Not applicable
Melting/freezing point	219-239 °F (for polyethylene resin), 320 °F (for polypropylene)	Relative density	0.91-0.97 for polyethylene resin (main component), 0.01 for foam
Boiling point, initial boiling point and boiling range	Not applicable	Partition coefficient (n-octanol/water)	Not applicable
Flash point	Not applicable	Solubility (water)	Insoluble
Auto-ignition temperature	No established for product as a whole, for major component (polypropylene resin) = 830 °F	Decomposition temperature	No data available
Flammability (solid, gas)	No data available	Bulk density	Not applicable
Flammability limit-lower%	Not applicable	Viscosity	Not applicable
Flammability limit-upper%	Not applicable	VOC (weight %)	Not applicable
Oxidizing properties	Not applicable	Percent volatile	Not applicable

SECTION 10: STABILITY AND REACTIVITY

ReactivityThe product is stable and non-reactive under normal conditions of use,

storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactionsHazardous polymerization will not occur.

Conditions to avoid Avoid contact with strong oxidizers and excessive heat.

Incompatible materials Strong oxidizing agents.

Preparation Date: 6 March 2015 Page 6 of 11



SECTION 10: STABILITY AND REACTIVITY (CONT'D)

Hazardous decompositions products

Temperatures above 480°F could cause product degradation potentially producing toxic vapors including carbon monoxide, olefinic, and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes, and/or alcohols.

SECTION 11: TOXICOLOGICAL INFORMATION

General information on likely routes of exposure

Ingestion: Not expected to occur under normal conditions of intended use. No

adverse effects known to be associated with ingestion of small

amounts of this inert polymer material.

Inhalation: Inhalation at ambient temperatures unlikely except for dust from

grinding, slitting, die cutting, etc. At elevated temperatures, such as

produced by hot cutting, fumes may cause respiratory or eye

irritation.

Skin contact: In rare cases, contact with sensitive individuals' skin may result in

irritation or reddening of skin.

Eye contact: At elevated temperatures, such as produced by hot cutting, fumes may

cause respiratory or eye irritation.

Symptoms: Inhalation of fumes from heated plastic may cause irritation of

respiratory tract, chest discomfort, and/or dizziness. In rare cases, contact with sensitive individuals' skin may result in irritation or

reddening of skin.

11.1 Information on toxicological effects

Acute Toxicity: Not established for product as a whole. Polyethylene resin (main

ingredient) not considered to be toxic to humans or animals.

Serious Eye Damage/Irritation: No data were identified for this product.

Skin corrosion/Irritation: In rare cases, contact with sensitive individuals' skin may result in

irritation or reddening of skin.

Respiratory/Skin Sensitization: No data were identified for this product Germ Cell Mutagenicity: No data were identified for this product.

Carcinogenicity: No formulary components are known to be carcinogenic.

Reproductive Toxicity:

Developmental Effects:

No data were identified for this product.

No data were identified for this product.

No data were identified for this product.

Preparation Date: 6 March 2015 Page 7 of 11



SECTION 11: TOXICOLOGICAL INFORMATION (CONT'D)

STOT – Repeated Exposure: No data were identified for this product.

Aspiration Hazard: Not relevant based on physical form of the product.

Conclusion/Summary This product is not expected to produce toxic effects.

SECTION 12: ECOLOGICAL INFORMATION

EcotoxicityNo data were identified for this product as a whole. For polyethylene

resin (main ingredient) ecotoxicity is expected to be low.

Persistence and degradability

No data available

Bioaccumulative potentialNo data were identified for this product as a whole. For polyethylene

resin (main ingredient), bioaccumulation is not expected to occur.

Mobility No data available

Results of PBT and vPvB assessmentNo data available

Other adverse effects None known

Conclusion/SummaryThis product is not classified as hazardous to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Residual waste: Dispose as normal, non-hazardous, solid waste, in accordance with

applicable Federal, State and Local regulations.

Contaminated packaging: Dispose as normal, non-hazardous, solid waste, in accordance with

applicable Federal, State and Local regulations.

Disposal methods/information: If the material as supplied becomes a waste, it does not meet the

definition of a hazardous waste as defined under RCRA (40 CFR 261).

Preparation Date: 6 March 2015 Page 8 of 11



SECTION 14: TRANSPORT INFORMATION

UN Number Not applicable, not regulated as hazardous for transport.

UN proper shipping name Not applicable, not regulated as hazardous for transport.

Transport hazard class(es)Not applicable, not regulated as hazardous for transport.

Packing groupNot applicable, not regulated as hazardous for transport.

Environmental hazards Not applicable, not regulated as hazardous for transport.

Special precautions for userNot applicable, not regulated as hazardous for transport.

Transport in bulk according to Annex II MARPOL73/78 and the IBC

Code Not applicable, not regulated as hazardous for transport.

The transport regulation may vary based on the country of use. Check for the appropriate regulations in the country of transport or usage of this product.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

USA Federal Regulations

29 CFR 1910.1200 Hazard Communication

Standard (HCS): Not regulated

California Proposition 65: No labeling required

TSCA 12b: Nonylphenol (a trivial compound of polyethylene)

SARA Title III - Section 302,

Extremely Hazardous Substances (EHS): None CERCLA 102A/103 - Hazardous substances: None



Section 15: Regulatory Information (cont'd)

Other Regulations

All shipping mailer packaging and packaging components, manufactured in the United States by Pregis Innovative Packaging, Inc., comply with the several United States' enacted provisions of the Coalition of Northeast Governors ("CONEG") legislative model for the reduction of toxics in packaging and the California Toxics in Packaging Prevention Act. Pregis Innovative Packaging, Inc.'s manufacturing practices prohibit the intentional introduction of cadmium(Cd), hexavalent chromium(Cr +6), lead (Pb), or mercury (Hg) into its products' formulations. Further, the cumulative total of all such metals' incidental concentrations does not exceed 100 parts per million (ppm).

SECTION 16: OTHER INFORMATION

List of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CERCLA Comprehensive Environmental Response, Compensation, and Liability

Act

CFR Code of Federal Regulations

IARC International Agency for Research on Cancer

IBC International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

MARPOL International Convention for the Prevention of Pollution from Ships

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration (United States)

PEL Permissible Exposure Limit

PBT Persistent, Bioaccumulative and Toxic
RCRA Resource Conservation and Recovery Act

SARA Superfund Amendments and Reauthorization Act

SDS Safety Data Sheet

TSCA Toxic Substances Control Act
TWA Time Weighted Average

vPvB Very Persistent and Very Bioaccumulative

Preparation Date: 6 March 2015 Page 10 of 11



SECTION 16: OTHER INFORMATION (CONT'D)

SDS Revisions

SDS prepared on 6 March 2015

Disclaimer

Information provided by sources external to our company and set forth herein is offered in good faith as accurate, but without guarantee. Safety precautions contained herein cannot anticipate all individual and unique situations. Conditions of use and suitability of the product for particular uses are beyond our control. All risks of use of the product are, therefore, assumed by the user and we expressly disclaim all warranties of every kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to the use or suitability of the product. Nothing herein is intended as recommendation for uses which infringe valid patents or as extension of license under valid patents. Appropriate warnings and safe handling procedures should be provided to users.